

*Application for*  
**UNITED STATES LETTERS PATENT**

*of*

**NAOCHIRO FURUKAWA**

**HIROSHI SAKO**

*and*

**HIROMICHI FUJISAWA**

*for*

**FORM PROCESSING SYSTEM, MANAGEMENT SYSTEM  
OF FORM IDENTIFICATION DICTIONARY, FORM  
PROCESSING TERMINAL AND DISTRIBUTION METHOD  
OF FORM IDENTIFICATION DICTIONARY**

- 1 -

FORM PROCESSING SYSTEM, MANAGEMENT SYSTEM OF FORM  
IDENTIFICATION DICTIONARY, FORM PROCESSING TERMINAL AND  
DISTRIBUTION METHOD OF FORM IDENTIFICATION DICTIONARY

BACKGROUND OF THE INVENTION

5 Field of the Invention

The present invention relates generally to a form processing system, a management system of form identification dictionary, a form processing terminal, and a distribution method of form identification dictionary. More particularly, the present invention is related to a form processing system for identifying the types (species) of forms inputted to the system to read information such as amount, payer name or the like written on the form, a management system of form identification dictionary and a form processing terminal which constitute parts of the management system, and a distribution method of form identification dictionary for performing the distribution of the form type identification information between the form processing terminal and the management system of form identification dictionary.

Description of the Related Art

The form processing system is a system which is arranged to read out an image of a form such as a payment slip, a tax bill or the like by means of an

optical scanner, whereon information such as amount of fee, payer name and so forth written on the form is fetched from the image data to thereby perform processing as required. In general, this system is  
5 equipped with the form identification function for identifying the type of the form as inputted, and the form read function for reading the subscriber name, the amount of money and so forth entered in the form.

In order to realize the form identification  
10 function, form identification information is demanded which serves as knowledge useful for the identification of the form type. As the form identification information, there may be mentioned, for example, such information as the size or dimension of form sheet,  
15 information about ruled lines/frames printed on the form, character strings representing the title of the form, etc. For realizing the form identification function with high accuracy and reliability, the method of creating the form identification information plays  
20 an important role.

As the conventional technique concerning the form identification information creating method, the technique described in JP-A-7-152856 is known, for example. According to this technique, an operator  
25 designates a useful fragmental area of a form by means of a mouse when the form is identified.

As another conventional technique directed to the form identification information creating method,

the technique disclosed in JP-A-11-184965 is known, for example. According to this technique, it is contemplated to make it possible to create easily a handy form dictionary by extracting automatically from  
5 a form image the appropriate constituent features thereof such as character patterns satisfying imposed requirements.

As the conventional technique directed to the management of the form identification dictionary in  
10 which the form identification information is described, the technique described in JP-A-9-73502 is known, for example. According to this technique, plural form classifying apparatuses are interconnected via a network. Here, only one of the form classifying  
15 apparatuses is equipped with a form identification dictionary, the contents of which are distributed to the other form classifying apparatuses via the network.

As the conventional technique directed to the form processing system, those disclosed in JP-A-7-  
20 114616 and JP-A-11-167603 are known, for example. These conventional techniques are concerned with the form identification and the form reading performed via a network.

All of the conventional techniques enumerated  
25 above require that the form identification dictionary be created by collecting all the form types in advance. Consequently, in practical applications, the number of the form types which can be disposed of with these

conventional techniques is at most on the order of several tens. In reality, however, there exist several tens of thousands of form types which are handled by the financial institutions in Japan, for example.

- 5 Thus, an attempt to collect all of these forms at one time will encounter a great difficulty. Besides, the fact that the layouts of these forms are frequently changed (or updated) must be taken into account.

For the reasons mentioned above, all of the  
10 conventional techniques have a problem that it is impossible to cope with several tens of thousands of form types.

#### SUMMARY OF THE INVENTION

In the light of the state of the conventional  
15 techniques, an object of the present invention is to provide a form processing system, a management system of form identification dictionary, a form processing terminal, and a distribution method of form identification dictionary which make it possible to  
20 change (or update) the form identification information as occasion demands while ensuring capability of coping with several tens of thousands of form types, and of creating the form identification dictionary.

Another object of the present invention is to  
25 provide a form processing system, a management system of form identification dictionary, a form processing terminal, and a distribution method of form

identification dictionary which are capable of charging fees for services such as distribution service of the form identification information.

The above objects are achieved by the

5 following form processing system according to the present invention. The form processing system comprises a management system of form identification dictionary including a manager of form identification dictionary for creating and managing a form

10 identification dictionary for identifying the types of forms, and a plurality of form processing terminals, each form processing terminals having a form identification dictionary for identifying a type of a form, and identifying the form to process the form,

15 wherein the management system of form identification dictionary and the plurality of form processing terminals are interconnected via a network. Upon occurrence of failure in identification of the form carried out by the form processing terminal based on

20 its own form identification dictionary, image information of the identification-failed form is transmitted to the management system of form identification dictionary. Then, the management system of form identification dictionary determines

25 analytically which of cases (a), (b) and (c) mentioned below the cause of the identification failure is attributable to:

(a) a case where the form type concerned has not

yet been registered in a form identification master dictionary;

(b) a case where although the form type has been registered in the form identification dictionary owned  
5 by the terminal, the information of that form identification dictionary is insufficient or inadequate; and

(c) a case where although the form type concerned has been registered in the form identification master  
10 dictionary, it has not yet been distributed to the form identification dictionary of the terminal.

When the cause of the identification failure can be attributed to case (a) or case (b), the form identification dictionary is changed.

15 Further, the objects mentioned above are achieved by transmitting together with form image, form identification dictionary creation supporting information such as character strings or coordinates which supports to create the form identification  
20 dictionary, when the terminal which fails the identification of the form transmits the form image to be identified.

Furthermore, the objects mentioned above are achieved by recording various service usage history  
25 data on a user action log so that a usage fee is calculated on the basis of the data stored in the user action log when the fee is charged.

The above and other objects, features and

attendant advantages of the present invention will more easily be understood by reading the following description of the preferred embodiments thereof taken, only by way of example, in conjunction with the  
5 accompanying drawings.

#### BRIEF DESCRIPTION OF THE DRAWINGS

In the course of the description which follows, reference is made to the drawings, in which:

Fig. 1 is a block diagram showing in general  
10 an exemplary configuration of the form processing system according to an embodiment of the present invention;

Fig. 2 is a block diagram showing generally a structure of a form processing terminal together with  
15 relations thereof to a user, a financial institution and a work center;

Fig. 3 is a view showing an example of a format of a form;

Fig. 4 is a view for illustrating  
20 schematically a structure of form identification information stored in a form identification dictionary;

Fig. 5 is a sequential diagram for illustrating a procedure of form identification dictionary update (or change) processing executed in  
25 the form processing system according to an embodiment of the present invention;

Fig. 6 is a flow chart for illustrating a



procedure for analytically determining a cause of form identification failure, executed in the work center;

Fig. 7 is a flow chart for illustrating a processing procedure for updating a form identification dictionary, executed in the work center;

Fig. 8 is a flow chart for illustrating a processing procedure for performing the form identification information distribution between the work center and the form processing terminal;

Fig. 9 is a flow chart for illustrating a processing procedure for charging the financial institution with service fee and confirming payment, executed by a manager of system fee in the work center;

Fig. 10 is a flow chart for illustrating a processing procedure for updating the form identification dictionary in case where supporting information for the form identification dictionary creation is text line position information; and

Fig. 11 is a flow chart for illustrating a processing procedure for updating the form identification dictionary in case where the supporting information for the form identification dictionary creation is character string information.

#### DESCRIPTION OF THE EMBODIMENTS

Now, referring to the drawings, the present invention will be described in detail in conjunction with embodiments of the form processing system, the

management system of form identification dictionary,  
the form processing terminal, and the distribution  
method of form identification dictionary according to  
the present invention. In the following description,  
5 like reference characters designate like or  
corresponding parts throughout the several views.

Fig. 1 is a block diagram showing generally a  
configuration of a form processing system according to  
an embodiment of the present invention. Fig. 2 is a  
10 block diagram showing generally a structure of the form  
processing terminal together with relations thereof to  
a user, a financial institution and a work center.  
Fig. 3 is a view showing an example of a format of a  
form. Fig. 4 is a view illustrating schematically a  
15 structure of form identification information stored in  
a form identification dictionary. In Figs. 1 and 2,  
reference numerals 100-102 denote networks, 111 denotes  
a manager of form identification dictionary, 112  
denotes a master of form identification dictionary, 113  
20 denotes a manager of form images, 114 denotes a  
database of form images, 115 denotes a manager of  
history of dictionary changes, 116 denotes a history of  
dictionary changes, 117 denotes a manager of system  
fee, numeral 118 denotes a user action log, 121 denotes  
25 a form processing terminal, 122 denotes a form  
identification dictionary installed at the form  
processing terminal, 201 denotes a payer (a user of a  
financial institution), 202 denotes a financial

institution, 203 denotes a work center, 211 denotes a form, 221 denotes a form image capturing module, 222 denotes a form identification module, 223 denotes a form identification information integration module, and  
5 224 denotes a form identification dictionary.

In the form processing system according to the present embodiment, the work center 203 and the financial institutions 202 are interconnected via the network 101, as can be seen in Fig. 1. The processing  
10 of the forms according to the present embodiment is executed through the cooperation of the payer who has a form to be processed, the financial institution 202 which actually processes the form, and the work center 203 which is in charge of managing the form processing  
15 system such as change of the form identification dictionary.

The work center 203 has the form identification dictionary 112 in the work center in which all form identification information is stored,  
20 and includes the manager of form identification dictionary 111, the master of form images 113, the manager of history of dictionary changes 115, and the manager of system fee 117, as can be seen in Figs. 1 and 2. The manager of form identification dictionary  
25 111 changes and manages the form identification information. The master of form images 113 stores form images, which are sent from the terminals of the individual financial institutions, in the database of

form images 114 to manage these form images. The manager of history of dictionary changes 115 stores the changed information in the history of dictionary changes 116 to manage the change status of the form  
5 identification dictionary, and additionally serves the form identification dictionary change information messaging function for messaging the changed form identification information to the relevant financial institution(s) via the network. Finally, the manager  
10 of system fee 117 serves for the fee charge function for storing the usage statuses by the financial institutions in the user action log 118 to calculate the system fees on the basis of the usage statuses of the form identification dictionary by the financial  
15 institutions and to charge the system fees to the financial institutions. Further, the manager of system fee 117 serves for the fee payment manage function for grasping the payment status of the charged system fees.

20           The individual managers mentioned above are interconnected via the network 100 such as an intra-office LAN (Local Area Network). The work center 203 itself is connected to the financial institutions 202 via the network 100 and the network 101 such as  
25 conventional telephone line, private line, or internet. Incidentally, in case of the form processing system shown in Fig. 1, it is presumed that there are two financial institutions 202. However, this is only for

the illustrative purpose. It goes without saying that one or more (plural) financial institutions may be connected to the work center 203.

In order to distinguish the form  
5 identification dictionary 112 in the work center 203 from the form identification dictionary 122 in the terminal, the former which the manager of form identification dictionary 111 has is referred to as the master of form identification dictionary 112.

10           The financial institution 202 is equipped with one or plural form processing terminals 121 installed at one or plural business offices or the like. These business offices are interconnected each other via the network 102 such as the intra-office LAN.  
15 On the other hand, the financial institution 202 itself is connected to the work center 203 via the network 100 and the network 101 as mentioned previously. Referring to Fig. 2, the form processing terminal 121 includes the form image capturing module 221 for optically  
20 fetching the image of the form, the form identification module 222 for identifying the type of the form, and the form identification information integration module 223 for merging the form identification dictionary 122 in the terminal and the form identification information  
25 distributed from the work center 203. The payer 201 of the financial institution has the form 211 and requests to process the form 211 at the terminal 121 of the financial institution.

In Fig. 3, a tax bill is illustrated as an example of the form 211. The illustrated form 211 is composed of character strings 901 and 902 representing the heading or title of the form, charge amount 903, an entry area 904 representing the payer name, a code 905 indicating the form type, which code may be in the form of a bar code, a numeral string or the like, identification information 906 of this form, and a character string 907 indicating the payee name. The form 211 of this example is presumed to be a tax bill. Accordingly, the heading of the form is composed of the character string 901 representing the payee name and the character string 902 representing the tax bill which is the form type. Further, in the entry area 904 representing the payee name, there are written information of "your name" representing the payer, information of "your telephone number", and information of "period" representing the payment for using during which period. Parenthetically, the code 905 indicative of the form type, the form identification information 906 of this form, and the character string 907 indicative of the payee name may be omitted, as the case may be.

The form identification dictionary contains the form identification information which characterizes the types of the forms. In the form identification dictionary used in the form processing system according to the present embodiment, the character strings

printed on the individual forms are extracted as the features of the forms to describe them in the dictionary as the form identification information.

Fig. 4 shows an example of such form identification information, which will be described below.

Incidentally, other features of the form than those mentioned above may be made use of as the form identification information. Referring to Fig. 4, the form identification information is composed of symbol strings for identifying the form type. The symbol strings includes a form identifier (ID) 1001 unique to each form types, the number of the character strings 1002 characterizing the form type (e.g. in the illustrated example, three character strings are registered), and information 1003-1005 concerning the first to third character strings. The information about the first character string (string #1) will be considered as the representative of the first to third character strings. The information of the first character string is composed of the individual information concerning the string length 1003 of the character string (the illustrated example shows the character string consisting of nine characters), the first character string 1004, and the position information 1005 concerning the location where the first character string is printed. In the illustrated example, the position information is given by the top-left and bottom-right points of rectangle in which the

top left corner of the sheet is defined as the origin and the character string is described. The length of the parenthesized character string and the position information are constituted of the length exclusive of the parentheses, and the top-left and bottom-right points of rectangle.

Fig. 5 is a sequential diagram illustrating in concrete a procedure of the form identification dictionary update processing executed in the form processing system according to an embodiment of the present invention, which will be elucidated in detail below.

(1) A payer of the financial institution takes a form to be processed to the financial institution. The financial institution fetches the image of the form by the form processing terminal which constitutes a part of the form processing system, and then executes the form identify processing. When the identification of the form results in failure, the image of the form is then transmitted to the work center (sequences 301, 302).

(2) The work center stores the distributed form image, analyzes the failure cause(s) of the form identification on the basis of the stored form image of the identification-failed form, and updates (or changes) the form identification dictionary in dependence on the analysis results. Concerning the procedure for analyzing the cause(s) of the form



identification failure and the procedure for updating the form identification dictionary, description will be made later on. After updating the form identification dictionary, the work center informs the financial institution of the update information of the form identification dictionary (sequence 303).

(3) The financial institution selects the desired information to be distributed, from the received update information, and informs the work center of the desired information. In response, the work center distributes the form identification information as requested to the form processing terminals of the financial institution. The form processing terminal then merges the information being held up to that time point and the distributed new information to thereby create a new form identification dictionary (sequences 304, 305).

(4) The work center records information concerning which form identification information is distributed to the terminal of which financial institution. The statuses of use of the form identification information by the individual financial institutions can be grasped on the basis of these recorded information, and then the fees are calculated and charged to the respective financial institutions. Finally, the work center checks whether or not the fees have been paid by the respective financial institutions (sequences 306, 307).

Fig. 6 is a flow chart for illustrating a

processing procedure for analyzing the failure cause of the form identification, executed in the work center.

The following description is directed to this

procedure. The failure analyze processing is executed

5 by the manager of form identification dictionary 111, and analyzes the failure cause(s) of the form identification at the form processing terminal of the financial institution.

As the failure cause of the form  
10 identification, there can be conceived the causes mentioned below.

(a) a case where the form type concerned has not yet been registered in the master of form identification dictionary.

15 (b) a case where although the form type has been registered in the form identification dictionary installed at the terminal, the information contained in the form identification dictionary is insufficient/inadequate.

20 (c) a case where although the form type has been registered in the master of form identification dictionary, it has not yet been distributed to the form identification dictionary of the terminal.

In the form identification failure analyze processing,

25 it is analyzed to which of the cases mentioned above the failure cause of the form identification can be ascribed.

(1) In the first place, the form image sent from

the master of form images 113 is inputted, and then it is decided whether or not the form type of the inputted form image is registered in the master of form identification dictionary 112 (steps 501, 502).

- 5 (2) When the decision in step 502 results in that the form type of the inputted form image is not registered in the master of form identification dictionary 112, it is then determined that case (a) mentioned above is the failure cause of the form
- 10 identification. Consequently, there arises the necessity of creating the form identification information for the form type now concerned. Thus, the update processing of the form identification dictionary is executed, and then the processing comes to an end.
- 15 Incidentally, concerning the update processing of the form identification dictionary will be described later on (step 503).

- (3) On the other hand, when it is decided in step 502 that the form type of the inputted form image has
- 20 already been registered in the master of form identification dictionary, the failure cause of the form identification at the form processing terminal of the financial institution can be ascribed to either case (b) where the form identification failure occurs
- 25 notwithstanding of the fact that the form type information has been distributed to the dictionary installed in the terminal, or case (c) where the form type information has not yet been distributed to the

dictionary installed in the terminal. Under the circumstances, the search processing is performed to check whether or not the form identification information of the form type now concerned has been distributed to the terminal from the user action log 118. When it has been distributed, it can be determined that the failure cause can be attributed to case (b) mentioned above. Accordingly, the update processing of the form identification dictionary in step 503 mentioned previously is executed, and then the processing comes to an end (step 504).

(4) On the contrary, when the decision in step 504 shows that the form identification information has not yet been distributed to the terminal, it is then determined that case (c) mentioned previously can be ascribed to the form identification failure. Then, the processing comes to an end.

Fig. 7 is a flow chart for illustrating the update processing procedure of the form identification dictionary executed in the work center. This dictionary update processing procedure will be elucidated below. This processing is executed by the manager of history of dictionary changes 115, newly adds the form identification information to the form identification dictionary or changes the form identification information, on the basis of the analysis results of the failure cause of the form identification. In the following description, it is

presumed, only by way of example, that the character strings are utilized as the form identification information registered in the form identification dictionary.

5 (1) At first, the form image belonging to the form type to be updated is inputted. It is then decided whether or not the form type of the inputted form image is new one. When it is decided to be a new type, an unused form identifier (ID) is assigned to the  
10 form of the new type to be newly registered (steps 601 to 603).

(2) By contrast, when it is decided in step 602 that the inputted form image is that of the form which has already been registered in the master of form  
15 identification dictionary 112 and thus need not be newly registered, its information is extracted from the master of form identification dictionary 112 (step 604).

(3) After completion of the processing in 603 or  
20 604, processing for extracting form edges, ruled lines/underlines, frames and text lines from the inputted form image is executed. Subsequently, the text line(s) to be registered in the form identification dictionary is selected from those  
25 extracted text lines. This selection may be commanded by an operator of the manager of history of dictionary changes 115. Alternatively, all the text lines as extracted may be selected (steps 605 to 609).

(4) In succession, processing for the text line recognition of the text line(s) selected in step 609 is executed to obtain the text line recognition result.

If error(s) is found in the obtained text line

5 recognition result, it is corrected by the operator (steps 610, 611).

(5) Subsequently, it is decided whether or not any of the text lines selected in step 609 remains to undergo the text line recognition processing. If some

10 text line(s) remains to be recognized, the recognition processing in step 610 is resumed to be executed in succession. By contrast, when it is decided that the recognition processing for all the text lines as selected has been completed, the obtained text line  
15 recognition result is then registered in the master of form identification dictionary 112 under the control of the manager of form identification dictionary 111.

Also, the update information is stored in the history of dictionary changes 116, and then the processing

20 comes to an end (steps 612, 613).

Fig. 8 is a flow chart for illustrating a processing procedure for the form identification information distribution executed between the work center and the form processing terminal(s), which will  
25 be elucidated below. This processing is carried out between the manager of history of dictionary changes 115 in the work center and the form processing terminals 121 in the individual financial institutions

202.

(1) In the first place, the manager of history of dictionary changes 115 in the work center informs the individual financial institutions of the dictionary  
5 update information via the network (step 701). As the informing method, there may be adopted the electronic mail. Alternatively, the Web server may be held active in the manager of history of dictionary changes 115 so that the financial institution(s) can make access  
10 thereto. Of course, any other method appropriate to this end may be resorted to.

(2) The financial institution checks whether or not any desired form identification information for use exists among the update information as informed. When  
15 no desired form identification information is found, any further processing is not performed. Then, the processing comes to an end (step 702).

(3) On the other hand, when the desired form identification information is found in step 702, the  
20 form processing terminal informs the manager of history of dictionary changes 115 of a request for use. Of course, this procedure can be spared when such a contract is made between the financial institution and the work center that any update information be always  
25 distributed to the financial institution (step 703).

(4) Upon reception of the request for distribution, the manager of history of dictionary changes 115 distributes via the network the form

69365664-694564

identification information which the financial institution desires to use (step 704).

(5) The form processing terminal received the form identification information in step 704 then merges the information, which is contained at that time point in the form identification dictionary 122 of the form processing terminal itself, and the distributed form identification information to thereby update the form identification dictionary thereof. Thus, a new form identification dictionary is created (step 705).

(6) Finally, the manager of history of dictionary changes 115 which distributes the form identification information to the form processing terminal records the distribution history in the user action log 118. Then, the processing comes to an end (step 706).

Fig. 9 is a flow chart for illustrating a processing procedure for charging the system fee to the financial institution and confirming the payment, executed in the manager of system fee 117 of the work center. This processing procedure will be described below in detail.

(1) At first, the manager of system fee 117 calculates the system fee of each of the financial institution by referencing the user action log 118 (step 801).

(2) Subsequently, the amount of system fee is messaged to the respective financial institution. Then, the manager of system fee 117 checks whether or



not the system fee has duly been paid by the financial institution, the result of which is entered in the user action log 118. Then, the processing comes to an end (steps 802 and 803).

5           In conjunction with the processing procedure described above, it is apparent that the amount of system fee can be determined in dependence on the contract made between the owner of the work center and the financial institution. For example, the amount of  
10 system fee may be determined by previously fixing the unit price (piece rate) per form identification information under contract and multiplying the unit price by the number of the form identification information used by the financial institution during a  
15 prescribed period (independently of the number of the form processing terminals installed at the financial institution), or alternatively by multiplying the unit price by the total number of the form identification information used by a plurality of the form processing  
20 terminals installed at the financial institution, or alternatively by adding to the amount determined as mentioned above a basic fee per predetermined period, e.g. per month. Furthermore, the amount of system fee for the financial institution which has provided new  
25 form information may be made charge-free or charged at a discount unit price. On the other hand, for the other financial institution used the above form information, the amount of system fee may be calculated

on the basis of the ordinary unit price.

The payment of the system fee by the financial institution may be made to the deposit account of the owner of the work center or by check or  
5 by any other appropriate methods.

The embodiment of the present invention described in the foregoing is directed to the form processing system in which upon occurrence of form identification failure in the form processing executed  
10 by the form processing terminal, the image information of the form failed to be identified is sent to the work center. However, according to another embodiment of the invention, the form processing system may be so arranged that when the form fails to be identified in  
15 the form processing executed at the form processing terminal, information having significance to the identification-failed form is sent to the work center together with the image information of that form for the purpose of aiding the update processing of the form  
20 identification dictionary. In the following, this embodiment of the invention will be described. In this conjunction, it is noted that as the information for supporting the creation of the form identification information, there are available two information which  
25 characterize the form type. They are (1) the position information and (2) the character string information. The following description will be made separately in conjunction with the respective cases.

Fig. 10 is a flow chart for illustrating a processing procedure for updating the form identification dictionary in case where the creation supporting information of the form identification

5 dictionary is the text line position information.

(1) When the form processing terminal in the financial institution fails the form identification processing, it inputs the position information of the text line which characterizes the form type. The text  
10 line position information may be inputted directly from a keyboard in terms of the coordinate values.

Alternatively, the corresponding form image may be displayed on the screen of the terminal so that the operator can click the text line with a mouse to  
15 thereby input the coordinate values thereof. Further, as the position information of the text line, the top-left and bottom-right points of rectangle covering the text line entry area may be employed. Alternatively, simply the coordinates of a given point within the text  
20 line entry area may be used. In the following description, it is presumed that the coordinates of a given point within the text line entry area is employed as the position information of the text line (step 1101).

25 (2) It is checked whether or not the text line to be inputted remains. If so, the processing in step 1101 is executed repeatedly, to thereby execute the processing for all the text lines, and then the

information of the form image and the position  
information of the text lines are sent to the work  
center. The processing up to this step are executed by  
the form processing terminal in the financial  
5 institution. The succeeding processing is executed by  
the manager of form identification dictionary 111 in  
the work center (step 1102).

(3) It is decided whether or not the type of the  
form which is sent from the form processing terminal is  
10 new one. When it is new one, an unused form identifier  
(ID) is assigned to the form of the new type to be  
newly registered (steps 1103, 1104).

(4) By contrast, when it is decided in step 1103  
that the form type has already been registered in the  
15 master of form identification dictionary and thus need  
not be newly registered, then its information is  
extracted from the master of form identification  
dictionary 112 (step 1105).

(5) After completion of the processing in step  
20 1104 or 1105, processing for extracting form edge  
lines, ruled lines/underlines, frames, and text lines  
from the inputted form image is executed.

Subsequently, the text line candidate which includes  
the point coordinates inputted by the form processing  
25 terminal and for which the text line recognition  
processing has not been executed yet is selected from  
the extracted text lines, and then the text line  
recognition processing is carried out for the candidate

as selected. Through this processing, there can be acquired the coordinates of the rectangular area in which the character strings recognized by this processing and the text line thereof are described  
5 (steps 1106 to 1110).

(6) When error(s) is found in the text line recognition result as acquired in the step 1110, it is corrected by the operator. Then, it is decided whether or not all the candidates for the text line recognition  
10 including the point coordinates inputted through the form processing terminal have been recognized. If any candidates remain to be recognized, then the processing in step 1110 is executed repeatedly (steps 1111, 1112).

(7) By contrast, when it is decided in step 1112  
15 that the recognition of all the text lines has been completed, the text line recognition processing result and the form identification information such as the size of the form, ruled lines/underlines, frames, etc. are then registered in the master of form

20 identification dictionary 112 under the control of the manager of form identification dictionary 111.

Further, the update information is stored in the history of dictionary changes 116, and then the processing comes to an end (step 1113).

25 Fig. 11 is a flow chart for illustrating a processing procedure for updating the form identification dictionary in case where the creation supporting information of the form identification

dictionary is the character string information.

(1) When the form processing terminal in the financial institution in the form processing system fails the form identification, it inputs the character string or character substring which characterizes the form type. The character string information may be inputted from a keyboard (step 1201).

(2) It is decided whether or not the character string to be inputted remains. If so, the processing in step 1201 is executed repeatedly, to thereby execute the processing for all the character strings, and then the image information of the form and the information of the character string(s) are sent to the work center. The processing up to this step are executed by the form processing terminal in the financial institution. The succeeding processing is executed by the manager of form identification dictionary 111 in the work center (step 1202).

(3) It is decided whether or not the type of the form which is sent from the form processing terminal is new one. When it is new one, an unused form identifier (ID) is assigned to the form of the new type to be newly registered (steps 1203, 1204).

(4) By contrast, when it is decided in step 1103 that the form type has already been registered in the master of form identification dictionary and thus need not be newly registered, its information is extracted from the master of form identification dictionary 112

(step 1205).

(5) After completion of the processing in step 1204 or 1205, processing for extracting from edge lines, ruled lines/underlines, frames and text lines from the inputted form image is executed. Subsequently, the text line candidates as extracted is recognized. Through this processing, there can be acquired the coordinates of the rectangular area in which the recognized character strings and the text line thereof are described (steps 1206 to 1210).

(6) The recognition result of the text line containing the character string inputted through the form processing terminal is searched. When error(s) is found in the text line recognition result as acquired in step 1210, it is corrected. Then, it is decided whether or not all the character strings inputted through the form processing terminal have been recognized. If any character strings remain to be recognized, then the processing succeeding to the search processing for the text line recognition result described above is executed repeatedly (steps 1211 to 1213).

(7) By contrast, when it is decided in step 1213 that the recognition processing of all the text lines has been completed, the text line recognition processing result and the form identification information such as the size of the form, ruled lines/underlines, frames, etc. are then registered in

the master of form identification dictionary 112 under the control of the manager of form identification dictionary 111. Further, the update information is stored in the history of dictionary changes 116, and  
5 then the processing comes to an end (step 1113).

Incidentally, when the form processing terminal has sent the form image affixed with the creation supporting information of the form identification dictionary, this event may be recorded  
10 in the user action log of the manager of system fee, as described above. In that case, such service as discounting of the system fee by a proportion corresponding to the number of times the creation supporting information of the form identification  
15 dictionary has been furnished may be presented.

Furthermore, according to the embodiments of the present invention described previously, even in case the form images are difficult to acquire in advance, the form identification dictionary can  
20 progressively be updated in the course of operation of the form processing system. Accordingly, there can be realized the form identification function which is capable of handling a large number of form types.

Furthermore, according to the embodiments of  
25 the present invention described in the foregoing, upon occurrence of failure in the form identification, the information which characterizes the form such as the title of the form and the subscriber name can be



affixed to the image of the identification-failed form  
to be sent to the manager of form identification  
dictionary. By virtue of this feature, the form  
identification dictionary can be updated with enhanced  
5 efficiency.

In addition, according to the embodiments of  
the present invention described in the foregoing, the  
history of uses of the form processing system can be  
recorded in the user action log. Owing to this  
10 feature, accounting for the distribution of the  
information for identification of the form type can  
automatically be carried out.

As can now be understood from the foregoing  
description, according to the present invention, it is  
15 possible to update the form identification information  
progressively and to cope with several tens of  
thousands of form types. As a result, it is possible  
to create the form identification dictionary with  
enhanced efficiency. Besides, the fee for the form  
20 identification information distribution service can be  
charged conveniently.

Many modifications and variations of the  
present invention are possible in the light of the  
above techniques. It is therefore to be understood  
25 that within the scope of the appended claims, the  
invention may be practiced otherwise than as  
specifically described.